VCA Headquarters
1 The Eastgate Office Centre
Eastgate Road
Bristol, BS5 6XX
United Kingdom

Switchboard: +44 (0) 117 951 5151
Direct line: +44 (0) 117 952
Main Fax: +44 (0) 117 952 4103
Email: enquiries@vca.gov.uk
Web: www.vca.gov.uk

Mr Emmanuel Nucci
TÜV Italia

Your Reference: 374-0071-08-ITA

Our Reference: EAJ192101

Date: 10 July 2008

MANUFACTURER: Termignoni S.r.l.

VEHICLE TYPE: S8GP

EEC DIRECTIVE: 97/24EC

APPROVAL NUMBER: e11*97/24*97/24/9/III*0646*00

1. This vehicle type has been tested and, according to your technical report, meets the requirements of the above EEC Directive. I enclose a set of approval documents, each comprising the approval, your technical report and the manufacturer's documentation duly authenticated.

2. If you think there are any errors in the enclosed package, please contact Andrew Meadows, telephone 0117 952 4187 immediately. Please be aware that from the date of issue we have a three week holding period, any corrections required after this time will need to be corrected via an extension, index revision or correction 1 certificate, as appropriate.

Yours sincerely

Jessica Stephens
Product Certification

INVESTOR IN PEOPLE

POSITIVE ABOUT DISABLED PEOPLE

VCA Midlands Centre
Nuneaton, Warwickshire, UK
Switchboard: +44 (0)247 632 8421
Fax: +44 (0)247 632 9276
Email: enquiries@vca.gov.uk

VCA Millbrook Centre
Millbrook, Bedford, UK
Telephone: +44 (0)1525 408466
Email: millbrook@vca.gov.uk

VCA North America
Northville, Michigan, USA
Switchboard: +1 248 4680151
Main Fax: +1 248 3499261
Email: general@vcana.com
Web: www.vcana.com

Ohio office
Ashland, Ohio, USA
Telephone: +1 419 207 8123
Fax: +1 419 207 1193
Email: c.gepper@vcana.com
Web: www.vcana.com

VCA East Asia
Naka-ku, Nagoya, Japan
Telephone: +81 52 683 8831
Fax from Europe: +44 (0) 870 125 3704
Fax from East Asia: +81 (0) 6 7500 1280
Email: enquiries@vca-asia.jp
Web: www.vca-asia.net

VCA Malaysia
Selangor, Malaysia
Telephone: +6 037 494 0221
or +6 037 494 4868
Fax: +6 037 494 0225
Email: paultownend.vca@myjaring.net

VCA China
Beijing
Telephone: +8610 852 830 91/2/3
Fax: +8610 852 830 97

1. CONDITIONS

1.1 This Approval may be withdrawn at any time and while held is subject to the following conditions.

2. CONDITIONS OF MOTOR VEHICLE PARTS

2.1 The holder of this approval shall put the approval mark described in the Motor Vehicles (Designation of Approval Marks) Regulations 1979 as amended only on Motor Vehicle Parts that:

a. Have been manufactured, assembled or completed in factories under his control and

b. Conform in all material respects with the samples, which were tested before this approval was issued.

2.2 The holder of this approval shall mark his products in the manner set out in the relevant Regulation/Directive as given in the Motor Vehicles (Designation of Approval Marks) Regulations 1979 as amended together with:

a. The approval number allocated by the Secretary of State for Transport.
b. His name or trademark
c. Any other markings specified in the appropriate international Regulation

2.3 The holder of this approval shall be prepared at any time to satisfy Department for Transport officials or agents of the Department, that the quality of the part being produced and marked or intended to be by him with the approval marking conforms in all material respects with that of the samples tested as the International Regulation requires.

2.4 The holder of this approval undertakes to admit duly authorised officials or agents of the Department at all reasonable times to any premises in which parts marked or intended to be marked are being manufactured, assembled or stored and to permit any such official or agent to inspect parts and all records relating to them and their production processes.

2.5 This approval may be suspended or withdrawn by the Secretary of State for Transport at any time without any particular length of notice being given and in the event of that being done the holder will absolve the Secretary of State from any claim for damages or compensation.

3. CONDITIONS FOR MOTOR VEHICLES

3.1 The holder of this approval shall put the approval mark described in the Motor Vehicles (Designation of Approval Marks) Regulation 1979 as amended only on Motor Vehicles fitted with Motor Vehicle parts which Motor Vehicles as fitted with such parts conform with the type of Motor Vehicle approved by as on behalf of the Secretary of State for Transport and only on Motor Vehicles that:

a. Have been manufactured, assembled or completed in factories under his control and

b. Conform in all material respects with the type of Motor Vehicle, which was tested before an approval certificate was issued.

3.2 The holder of this approval shall mark motor vehicles of the type approved. In the matter set out in the relevant Regulation/Directive using the authorised approval mark as given in the Motor Vehicles (Designation of Approval Marks) Regulation 1979 as amended together with the approval number allocated by the Secretary of State for Transport.

3.3 The holder of this approval shall mark Motor Vehicles of the type approved in the manner set out in the relevant Regulation annexed to the United Nations agreement of 1958 as amended using the authorised approval mark which comprises a capital letter E followed by the number 11 within a circle together with the approval number allocated by the Secretary of State for Transport.

3.4 The holder of this approval shall be prepared at any time to satisfy Department for Transport officials or agents of the Department that Motor Vehicles of the type approved which have been produced and marked or that are intended to be marked by him conform in all material respects with the type of vehicle approved.

3.5 The holder of this approval undertakes to admit duly authorised officials or agents of the Department at all reasonable times to any premises in which the Motor Vehicles of the type approved which have been or are intended to be marked are manufactured, assembled or stored and to permit any such official or agent to inspect the Motor Vehicles and all records relating to them and their production processes.

3.6 This approval may be suspended or withdrawn by the Secretary of State for Transport at any time without any particular length of notice given and in the event of that being done the holder will absolve the Secretary of State from any claim for damages or compensation.

VCA Headquarters
1 The Eastgate Office Centre
Eastgate Road
Bristol, BS5 6XX
United Kingdom

Switchboard: +44 (0) 117 951 5151
Main Fax: +44 (0) 117 952 4103
Email: enquiries@vca.gov.uk
Web: www.vca.gov.uk

THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING THE GRANTING OF COMPONENT TYPE-APPROVAL IN RESPECT OF A NON-ORIGINAL EXHAUST SYSTEM FOR A TYPE OF MOTORCYCLE PURSUANT TO DIRECTIVE 2006/27/EC

Report No: 374-0071-08-ITA By technical service: TÜV Italia S.r.l, TÜV Süd Group dated 04 July 2008

Type-approval No: e11*97/24*97/24/9/III*0646*00

Reason for extension: Not applicable

1. Make of exhaust: Termignoni S.r.l.

2. Type of exhaust: S8GP

3. Name and address of Manufacturer:

   Termignoni S.r.l.
   Via Della Rampina, 16
   15077 Predosa (AL)
   Italy

4. If applicable, name and address of manufacturer's authorised representative: Not applicable

5. Make(s) and type(s) and any variant(s) or version(s) of the vehicle(s) for which the exhaust system is designed: See list enclosed

6. Date system submitted for testing: See enclosure

7. Component type-approval has been GRANTED

8. Place: BRISTOL

9. Date: 10 JULY 2008

10. Signature:

A. W. STENNING
Head of Technical and Quality Group

10-Jul-08
UK Approval Authority

VCA Headquarters
1 The Eastgate Office Centre
Eastgate Road
Bristol, BS5 6XX
United Kingdom

Switchboard: +44 (0) 117 951 5151
Main Fax: +44 (0) 117 952 4103
Email: enquiries@vca.gov.uk
Web: www.vca.gov.uk

APPROVAL NUMBER: e11*97/24*97/24/9/III*0646*00

INFORMATION PACKAGE CONTENTS

INDEX

REVISION NUMBER: Not applicable

Total number of sheets:	07 (Seven)
Number of separate drawings:	0 (Nil)
Number of separate photographs:	0 (Nil)

Reasons for Revision: Not applicable

EAJ192101

Revision date
&
Office stamp

10-Jul-08
UK Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

TECHNICAL REPORT

No. 374 - 0071 - 08 - ITA

about a test of a non-original exhaust system or a component

as a separate technical unit for motorcycles according to the directive of the Council

of the European Community for adaptation to the laws of the Member States

relating to

the permissible sound level and exhaust systems for two or three-wheel motor vehicles

No. ***97/24/EC*** *including the last amendment* ***2006/120/EC dated 27-Nov.-2006***
concerning ***Chapter 9, annex III***
Approval mark according to annex VI point 6.1.1

VCA
10-Jul-08
374007108ITA base
VCA Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

0. Technical description

0.1.	Make:	Termignoni
0.2.	Type:	**S8GP**
0.2.1.	Variants:	Not applicable
0.3.	Name and address of the manufacturer:	Termignoni S.r.l. Via della Rampina, 16 I-15077 Predosa (AL)
0.4.	Name and address of manufacturer's authorized representative:	Not applicable
0.5.	Class of the vehicles the unit is used for:	Motorcycle - L3e (according to 2002/24/EC amended 2006/120/EC)

10-Jul-08
374007108ITA base
VCA Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

I. Test object(s)

1.1.	Description of the vehicles the unit is used for:	Notice enclosure b
1.2.	Identification number:	TERMIGNONI S8GP e11 0646 9
1.2.1.	Structure of the non-original exhaust system:	Non-original exhaust system, consisting out of one silencer on the right, cylindrical: diameter 99 mm, total length 548 mm; absorption- reflection- principle with an outlet pipe ∅ 54 mm according to drawing no. S8GP: SILENCER in combination with original header system. Carbon fiber- alternatively aluminium- alternatively titanium- alternatively iron steel-cover.
1.2.2.	List of parts:	See Test Report
1.2.3.	Position of the marking:	On the silencer, see enclosure c1.
1.2.4.	Make vehicles tested:	SUZUKI
1.2.5.	Material of the non-original exhaust system:	See Test Report
1.3.	Remarks:	---

10-Jul-08
374007108ITA base
VCA Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

II. Test Report

2.1.	Test equipment:	The tests were effected with an equipment that corresponds to the test requirements
2.2.	Condition under which the above mentioned test Records have been achieved:	See Test Report enclosure
2.2.1	Summary of the Test Records:	See Test Report enclosure
2.3.	General information about the Tests:	
2.3.1.	Weather condition:	See Test Report enclosure
2.3.2.	Place of the test:	See Test Report enclosure
2.3.3.	Date of the test:	See Test Report enclosure

10-Jul-08
374007108ITA base
VCA Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

III. Enclosures

a. Test Report
Composition of the non original exhaust system;
Field of application;
Test Records.

	Number	pages	date
1	374-0072-08-ITA	6	04/07/2008

b. Information Document n° S8GP/97/24 rev. 00 04/07/2008

c1. Drawing S8GP: SILENCER 26/06/2008

c2. Drawing S8GP: ASSEMBLY 26/06/2008

10-Jul-08
374007108ITA base
VCA Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

IV. Final confirmation

The named information document and the described type correspond to the Directive 97/24/EC chapter 9, annex III including the last amendment 2006/120/EC.
There are no technical objections against granting an EC Type-approval.

This technical report consists of sheet 1 to 6.

Sachverständiger Prüflabor DIN EN ISO/IEC 17025 TÜV SÜD Automotive GmbH

Recognised Expert
Emmanuel Nucci

pv Sesto San Giovanni (MI),
the 04.07.2008

184645

VCA 10-Jul-08 374007108ITA base UK Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

TEST REPORT

No. 374 - 0072 - 08 - ITA

about a test of a non-original exhaust system or a component as a separate technical unit for motorcycles according to the directive of the Council of the European Community for adaptation to the laws of the Member States relating to the permissible sound level and exhaust systems for two or three-wheel motor vehicles

No. 97/24/EC including the last amendment 2006/120/EC dated 27-Nov.-2008 concerning chapter 9, annex III
Approval mark according to annex VI point 6.1.1

0. General information

0.1.	Make:	Termignoni
0.2.	Type:	**S8GP**
0.2.1.	Variants:	Not applicable
0.3.	Name and address of manufacturer:	Termignoni S.r.l. Via della Rampina, 16 I-15077 Predosa (AL)
0.4.	Name and address of manufacturer's authorized representative:	Not applicable

VCA
10-Jul-08
374007208ITA - GSXR 600
VCA Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

0.5.	No. of information document: Date:	S8GP/97/24 rev. 00 04/07/2008
1.0.	Class of the vehicles the unit is used for:	motorcycle - L3e (according to 2002/24/EC amended 2006/120/EC)
1.1.	Description of the vehicles the unit is used for:	notice enclosure 2

2. Composition of the separate technical unit

2.1. Kind of technical unit:

Technical unit, consisting out of one silencer on the right, cylindrical: diameter 99 mm, total length 548 mm; absorption- reflection- principle with an outlet pipe ∅ 54 mm according to drawing no. S8GP: SILENCER in combination with original header system. Carbon fiber- alternatively aluminium- alternatively titanium- alternatively iron steel-cover.

2.2.	Place of marking:	on the silencer, see drawing S8GP: SILENCER
2.3.	Assembly of the exhaust system for testing (no. of parts, enclosure 1):	notice 3.4
2.4.	Position and direction of the tail pipe:	on the rear side of the vehicle, above the footrest

3. Test report

The tests were carried out in 1 series A at 27/06/2008.

VCA
10-Jul-08
374007208ITA - GSXR 600
EC Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

3. **Test report** (continuation)

Series A: (no. 1)

3.1. Vehicle

	(0.1)	Make:	SUZUKI
3.1.1.	(0.2.)	Type / variant / version:	WVCV / CV1111 / -
3.1.2.	(0.5.)	Manufacturer	SUZUKI MOTOR CORPORATION
3.1.3. 3.1.3.1		Homologation no.: Extension:	e4*2002/24*1756 00
3.1.4.		Vehicle identification no.:	*JS1CV111100102477*
3.1.5.		Year of manufacture:	2008
3.1.6.	(2.1)	Weight of the vehicle:	196 kg

3.2. (3.) Engine

3.2.1.	(3.0.)	Manufacturer:	notice 3.1.2
	(3.1.)	Make:	SUZUKI
3.2.2.	(3.1.1)	Type:	N735
3.2.3.		Engine capacity:	599 cm^3
3.2.4.	(3.2.1.7)	Rated maximum engine power:	92 kW at 13500 min^{-1}

VCA
10-Jul-08
374007208ITA - GSXR 600
VCA Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

3. **Test report** (continuation)

3.3. (4.) Transmission

	(4.1)	Drawing of transmission:	notice vehicle homologation no. s. 3.1.3.
3.3.1.	(4.2)	Kind of transmission:	mechanical
	(4.3)	Clutch (kind):	wet multi-plate type
	(4.4)	Gearbox	
3.3.2.	(4.4.1)	Kind	mechanical
	(4.4.2)	Kind of activity:	foot shifted
3.3.4.		No of gears	6
3.3.5.	(4.5.)	Transmission ratios: primary / final	 1:1,974 / 1:2,687
	(4.6.)	Top speed:	260 km/h
	(5.2.)	Tires: front rear	 120/70 ZR17 180/55 ZR17
3.4.		assembly of the exhaust system (no. of parts, enclosure 1):	1.0., c1., c2.

VCA
10-Jul-08
374007208ITA - GSXR 600
EC Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

3.5. Power measurement

3.5.1. The tested max. power and the engine speed are in the ± 5% tolerance in comparison with the original exhaust system.

3.5.2. Testing of top speed with non-original exhaust system:
Not applicable, because vehicle class : motorcycle

3.6. Conditioning

by pulsation

3.7. Test results

The results of
3.7.1. Sound testing
3.7.2. Power measurement
3.7.3. Top speed
are attached in the enclosure 3.
The results of the sound tests with the original and non original exhaust systems fulfil point 3.5.2.1.1 of Directive 97/24/EC chapter 9, including last amendment 2006/120/EC. All motorcycles with the same serial exhaust system and same or fewer performance mentioned in enclosure 2, can be taken into the field of application due to the measurement with the above named motorcycle/s.
Emission test has not been carried out because the non original exhaust system does change neither catalyst nor vehicle performance.

3.7.5. The described non-original exhaust system / technical unit is suitable for an application at the vehicles listed in enclosure 2.

3.7.6. The general specifications concerning point 3.5.1 of Directive 97/24/EC Chapter 9 (including last amendment 2006/120/EC) were checked and were fulfilled by the non original exhaust system / technical unit.

VCA
10-Jul-08
374007208ITA - GSXR 600
VCA Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

4. Enclosures

Enclosure 1, Composition of the non original exhaust system (Page 1)

Enclosure 2, Field of application (Page 1)

Enclosure 3, Test results (Page 1)

5. Summary

The named information document and the described type correspond to the Directive 97/24/EC including the amendment 2006/120/EC chapter 9, annex III.
There are no technical objections against granting an EC Type-approval.

This test report contains the pages 1 to 6 and enclosures

Sachverständiger Prüflabor DIN EN ISO/IEC 17025 TÜV SÜD Automotive GmbH

Recognised Expert
Emmanuel Nucci

pv Sesto San Giovanni (MI),
the 04.07.2008

184645

VCA
10-Jul-08
374007208ITA - GSXR 600
EC Approval Authority

TÜV Italia s.r.l.
TÜV SÜD Gruppe

Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

E N C L O S U R E 1 ***to test report no.*** **374-0072-08-ITA**
Type: **S8GP**
Manufacturer: **Termignoni S.r.l.**

Composition of the original exhaust system + original parts

No.	Components parts, dimensions in mm	Dimensions of the part in mm or original part / replacement part	Part no. or homologation no.
1.0.	Header pipes	original parts	-
c1.	Rear silencer	cylindrical: diameter 99 mm, total length 548 mm; absorption- reflection- principle with an outlet pipe ∅ 54 mm	Drawing S8GP: SILENCER
c2.	Drawing of composition	notice drawing	Drawing S8GP: ASSEMBLY

UK Approval Authority
10-Jul-08

TÜV Italia s.r.l.
TÜV SÜD Gruppe
Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)
Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

E N C L O S U R E 2 ***to test report no.*** **374-0072-08-ITA**
Type: **S8GP**
Manufacturer: **Termignoni S.r.l.**

Field of application

No. of ve-hicle	Manufacturer	Make	Commercial name	Vehicle type (and no. of homologation)	Engine type	Stroke	Engine capacity in cm^3	Rated maximum engine power in kW/min^{-1}	Additional remarks:	Composition as shown in enclosure no. 1
1)	SUZUKI MOTOR CORPORATION	SUZUKI	GSX-R 600 k8	WVCV (e4*2002/24* 1756*)	N735	4-stroke	599	92 / 13500	with cat *)	1.0., c1., c2.

*) The original catalytic converter remain in the original exhaust system. A degradation of catalyst efficiency is not expected.

TÜV Italia s.r.l.
TÜV SÜD Gruppe

Via Carducci, 125 – edificio 23
I-20099 Sesto San Giovanni (MI)

Telefon: ++39 - (0)2 - 24130-1
Telefax: ++39 - (0)2 - 24130-395

Automotive

E N C L O S U R E 3 ***to test report no.*** **374-0072-08-ITA**
Type: **S8GP**
Manufacturer: **Termignoni S.r.l.**

Test results

- Noise and Power Test

					Sound levels driving vehicle in dB(A)					Sound levels stationary vehicle in dB(A)			
No. of vehicle	Engine power original kW/min^{-1}	Engine power non original kW/min^{-1}	Vmax original km/h	Vmax non original km /h	measured in gear ratio	Limit Value **)	Original mea-sured	Non original measured	at km/h	Vehicle type hom.	Original mea-sured	Non original measured	at min^{-1}
1) A*	92/13500	92,3/13500	-	-	2 / 3	80	79,00	79,50	50	96	96	99	6750

*) test series

**) Limit value of directive which was valid by vehicle type homologation

TERMIGNONI	**INFORMATION DOCUMENT** **N° S8GP/97/24 rev. 00**	**Date: 04/07/2008** **Page 1/2**

Information Document relating to EC type approval as separate technical unit of exhaust systems for motorcycles (Directive 97/24/EC amended 2006/120/EC)

1.	*Make (trade name of manufacturer)*:	Termignoni
2.	*Type and general commercial description:*	S8GP
3.	*Name and address of manufacturer:*	Termignoni S.rl. via della Rampina, 16 I-15077 Predosa (AL)
4.	*Name and address of manufacturer's authorized representative:*	*not applicable*
5.	*Parts list:*	*notice enclosure 1 of the test report*
6.	*Make and motorcycle type of the field of appication:*	*see list enclosed*
7.	*Restriction and instructions for installing:*	*notice assembly manual and field of application*

Sachverständiger Prüflabor DIN EN ISO/IEC 17025 TÜV SÜD TÜV SÜD Automotive GmbH

Further details according to directive 97/24/EC, chapter 9, annex III, enclosure 2 A including amendment 2006/120/EC are mentioned in the motorcycle homologation (notice enclosure 2 of the test report).

VCA 10-Jul-08 UK Approval Authority

Information Document relating to EC type approval as separate technical unit of exhaust systems for motorcycles (Directive 97/24/EC amended 2006/120/EC)

Enclosures:

		drawing no.	*date*
c1.	*Drawing of rear silencer*	S8GP: SILENCER	26/06/2008
c2.	*Drawing of composition*	S8GP: ASSEMBLY	26/06/2008
c3.	*List of vehicles*		
c4.	*Fitting instructions*		

VCA 10-Jul-08 UK Approval Authority

General tolerance: ±1mm



SEZ A-A



PART LIST

Nr	Part name	Material	Dimensions	Qt.
1	Shell	Alluminium	Sp2mm x See draw	1x
	or	Carbon fiber	Sp1mm x See draw	1x
	or	Titanium	Sp0.6mm x See drawing	1x
	or	Stainless steel	Sp0.6mm x See drawing	1x
2	Outlet pipe	Stainless steel	SEE DRAWING	1x
	or	Titanium	SEE DRAWING	1x
3	Punched-holes pipe	Stainless steel	ø50x0,8	1x
	or	Titanium	ø50x0,8	1x
4	Sound Deadener	Fiberglass		1x

Scale:
Date: 26.06.2008
Name: P.Pelizza
Model: SUZUKI GSX-R 600 '08 1 GP sil SD80 S8GP e11 0646
Type: S8GP: SILENCER

Termignoni s.r.l.

UK Approval Authority 10-Jul-08

SILENCER
see drawing "S8GP: Silencer"



ORIGINAL COLLECTORS



ORIGINAL CATALYTIC CONVERTER

SCALE:	*MODEL:* SUZUKI GSX-R 600 '08 1 GP sil S060 S8GP e11 0646 ⑨
DATE: 26.06.08	
DES: P.Pelizza	
TYPE: S8GP: Assembly	

Termignoni s.r.l.



info@termignoni.it

INFORMATION DOCUMENT N° S8GP/97/24 rev. 00 - List of the vehicles

No. of vehicle	Manufacturer	Make	Commercial name	Vehicle type (and no. of homologation)	Engine type	Stroke	Engine capacity in cm^3	Rated maximum engine power in kW/min^{-1}	Additional remarks:	Composition as shown in enclosure no. 1
1)	SUZUKI MOTOR CORPORATION	SUZUKI	GSX-R 600 k8	WVCV (e4*2002/24* 1756*)	N735	4-stroke	599	92 / 13500	with cat *)	1.0., c1., c2.

*) The original catalytic converter remain in the original exhaust system. A degradation of catalyst efficiency is not expected.

UK Approval Authority
10-Jul-08

TERMIGNONI S.r.l.
Via della Rampina, 16
15077 Predosa (AL)
ITALY
Phone +39 0131 71666
Fax +39 0131 71696
info@termignoni.it
www.termignoni.it
P. IVA 00862780061

FITTING INSTRUCTIONS

for Termignoni exhaust systems

A. Dismantling the original exhaust system

1. Remove any casing parts impeding clear access.

2. Detach the silencer support(s) and the original silencer from the branch pipe and/or exhaust manifold.

B. Fitting Termignoni silencers

1. Fit the Termignoni silencer(s) to the original branch pipe, or use the Termignoni branch pipe to fit to the exhaust manifold.

2. Attach the silencer(s) with the mounting(s) supplied with the vehicle, leaving the screws and bolts loose.

3. Adjust the exhaust system so that when fully inserted it is at least 5 mm from any other component of the vehicle.

4. Tighten all screws and bolts.

5. Test the vehicle and check all connections, tightening the screws and bolts if necessary.

6. After about 100 km check all the connections again and tighten the screws and bolts if necessary.

WARNING:
Take care when working on the exhaust system after testing the vehicle since the surfaces could be very hot.

VCA
10-Jul-08
UK Approval Authority

TERMIGNONI S.r.l.
Via della Rampina, 16
15077 Predosa (AL)
ITALY
Phone +39 0131 71666
Fax +39 0131 71696
info@termignoni.it
www.termignoni.it
P. IVA 00862780061

ISTRUZIONI DI MONTAGGIO

per impianti di scarico Termignoni

A. Smontaggio dell'impianto di scarico originale

1. Rimuovere eventuali parti del rivestimento in modo che non siano d'impaccio.

2. Smontare il/i supporto/i marmitta e la marmitta originale dal tubo di raccordo e/o dal collettore di scarico.

B. Montaggio della marmitta Termignoni

1. Montare la/le marmitta/e Termigoni sul tubo di raccordo originale o utilizzare il tubo di raccordo Termignoni sul collettore di scarico.

2. Fissare la/le marmitta/e con il/i supporto/i in dotazione al veicolo, ma non stringere a fondo le viti ed i bulloni.

3. Disporre l'impianto di scarico in modo tale che anche quando completamente inserito abbia una distanza minima di ca. 5 mm da tutti i componenti del veicolo.

4. Serrare tutti i collegamenti a vite.

5. Effettuare una prova di funzionamento del veicolo, verificare che tutti i collegamenti siano ben fissati, eventualmente stringere ulteriormente.

6. Dopo ca. 100 km controllare nuovamente tutti i collegamenti ed eventualmente stringere le viti ed i bulloni.

ATTENZIONE:
In caso di interventi sull'impianto di scarico dopo una prova di funzionamento, prestare attenzione alla superficie dell'impianto che potrebbe essere molto calda.

VCA
10-Jul-08
UK Approval Authority